



TOP 1 OIL PRODUCTS COMPANY

PRODUCT DATA SHEET

Rev: Aug 2018
Code: 33952

EVOLUTION MV ATF

DESCRIPTION

EVOLUTION MV ATF is a fully synthetic automatic transmission fluid blended with a specifically balanced additive combination that is manufactured to provide high oxidation stability, corrosion resistance, and wear protection. EVOLUTION MV ATF is a low viscosity multi-purpose fluid that meets and exceeds current original equipment manufacturers specifications for automatic transmission fluids, including some of the latest OEM specifications as specified by GM, Ford, Chrysler, Toyota, Mitsubishi and others.

FEATURES AND ADVANTAGES

- Excellent wear protection and quiet, smooth operation
- Superior thermal and oxidation stability compared to conventional automatic transmission fluids
- Protects against rust and corrosion
- Outstanding seal compatibility
- Will not degrade nylon components

PERFORMANCE SPECIFICATIONS

EVOLUTION MV ATF meets or exceeds the requirements of transmission manufacturers where the following ATF types are specified:

- Audi/VW: G-055-005-A2
- GM Dexron VI (backwards compatible to DII/IIIE/III/IIIG? IIIH)
- Ford: M-LV, M-SP
- Hyundai/Kia: SP-IV
- Mazda: FZ
- Mitsubishi: Diaqueen ATF J-3
- Mercedes Benz: MB 236.12
- Nissan Matic S (backward compatible to Matic D/Matic J)
- Saab: 93 165 147
- Toyota/Lexus/Scion: WS
- OEMs: M1375.4

TYPICAL SPECS

Gravity, °API	30.5
Pour Point, °C	-46
Viscosity:	
cSt @ 100°C	6.0 – 6.2
Brookfield @ -40°C, cP	7,900
Viscosity Index	> 145
Color	Red
Product Number	
12x1 L	13363
4x4 L	13354

VALUES SHOWN HERE ARE TYPICAL AND MAY VARY

100 N. El Camino Real, San Mateo, CA 94401, Tel: 650.347.3691 Fax: 650.340.8739 www.top1oil.com