



TOP 1 OIL
PRODUCTS COMPANY
www.top1oil.com

www.top1oil.com



1. **EVOLUTION PRO**
2. **EVOLUTION PCMO**
3. **HP PLUS**
4. **HP**
5. **MV ULV ATF**
6. **EVOLUTION MV ATF**
7. **MV ATF**
8. **CVT**
9. **DCT**
10. **SUPER ATF**
11. **XM-88**
12. **EVOLUTION MOTO**
13. **ACTION PLUS**
14. **ACTION**
15. **EVOLUTION DIESEL**
16. **HD PLUS**
17. **HD**
18. **TRANSPORT**
19. **XLR**
20. **HI TEMP GREASE**
21. **LSD GEAR OIL**
22. **SGO GEAR OIL**
23. **MP**
24. **XK-EV COOLANT**



PASSENGER CAR MOTOR OIL

SDS

PDS

IMAGES



PRODUCT

EVOLUTION PRO

PRODUCT TYPE

FULLY SYNTHETIC

CATEGORY

PASSENGER CAR
MOTOR OIL

VISCOSITY

0W-20

PACKAGE SIZE

1 L BOTTLE
4 L BOTTLE
5 L BOTTLE

SPECIFICATION

API SP/ACEA
C6, C5, C3, C2,
A3/B4





PASSENGER CAR MOTOR OIL

SDS

PDS

IMAGES



PRODUCT

EVOLUTION

PRODUCT TYPE

FULLY SYNTHETIC

CATEGORY

PASSENGER CAR
MOTOR OIL

VISCOSITY

0W-20
5W-30
5W-40
10W-30

PACKAGE SIZE

1 L BOTTLE
4 L BOTTLE
5 L BOTTLE

SPECIFICATION

API SP

LIFE IS AN ADVENTURE





PASSENGER CAR MOTOR OIL

SDS

PDS

IMAGES



PRODUCT

HP PLUS

PRODUCT TYPE

SYNTHETIC BLEND

CATEGORY

PASSENGER CAR
MOTOR OIL

VISCOSITY

5W-30
10W-30
10W-40

PACKAGE SIZE

1 L BOTTLE
4 L BOTTLE
5 L BOTTLE

SPECIFICATION

API SP





PASSENGER CAR MOTOR OIL

SDS

PDS

IMAGES



PRODUCT

HP

PRODUCT TYPE

SYNTHETIC BLEND

CATEGORY

PASSENGER CAR
MOTOR OIL

VISCOSITY

20W-50

PACKAGE SIZE

1 L BOTTLE
4 L BOTTLE
5 L BOTTLE

SPECIFICATION

API SP

LIFE IS AN ADVENTURE





TRANSMISSION FLUID



PRODUCT

MV ULV ATF

PRODUCT TYPE

FULLY SYNTHETIC

CATEGORY

**AUTOMATIC
TRANSMISSION FLUID**

APPLICATION

ULTRA LOW VISCOSITY

PACKAGE SIZE

1 L BOTTLE

SPECIFICATION

**FORMULATED FOR 9
& 10 SPEED
TRANSMISSIONS**

* Suitable for use in:
Ford (10R60, 10R80, 10R80MHT, 10R140) & GM (10L80, 10L90)



SDS

PDS

IMAGES



TRANSMISSION FLUID

SDS

PDS

IMAGES



PRODUCT

EVOLUTION MV ATF

PRODUCT TYPE

FULLY SYNTHETIC

CATEGORY

AUTOMATIC
TRANSMISSION FLUID

APPLICATION

LOW VISCOSITY
TRANSMISSIONS

PACKAGE SIZE

1 L BOTTLE
4 L BOTTLE
5 L BOTTLE

SPECIFICATION

TYPE WS, DEXRON VI,
MB 236.12*

* SUITABLE FOR USE IN:

AUDI/VW (G 055 162 A2/A6, G 060 162 A1/A2/A6; BMW (PN 83220142516, 83220397114, 83222152426, 163514) FORD(MERCON LV – FF-WSS-M2C-938A/SF, XT-10 QLV) GM (DEXRON IV –BACKWARD COMPATIBLE TO DEXRON II/IIID/IIIE/IIIG/IIH) HYUNDAI/KIA(NWS-9638 T-5, PN 040000C90SG, SPH-IV) MERCEDES-BENZ (MB236-12, MB 236-14/15/41) MITSUBISHI (DIAQUEEN J3) NISSAN (MATIC SFLUID (BACKWARD COMPATIBLE TO MARIC D/MATIC J)) TOYOTA/LEXUS (ATFWS) JASO (M315-2013 1A-LV)

LIFE IS AN ADVENTURE





PRODUCT

MV ATF

PRODUCT TYPE

FULLY SYNTHETIC

CATEGORY

AUTOMATIC
TRANSMISSION FLUID

APPLICATION

STANDARD
REGULAR VISCOSITY

PACKAGE SIZE

1 L BOTTLE
4 L BOTTLE
5 L BOTTLE

SPECIFICATION

TYPE T-IV, SP-IV, SP-III *

*SUITABLE FOR USE:

AISIN: WARNER JWS 3309, AW-1; ALLISON: C-4 (TES-228); AUDI/VW: G 052 025 A2, G 052 055, G 055 025 (A2), G 052 162 (-A1, A2) G 052 990 (A2), G 055 025 (A2), G US 000 162; BMW: PN 81229400272/275, 81229407858/859, 83220024249/359, 8322002922, 83220402413, 83220403248, 83227542290, 83229407765, 83229407807; CHRYSLER AND AMERICAN MOTORS: ATF +3, ATF +4, MOPAR AS68 RC, SP-III; FORD: MERCON, MERCON V, FNR5, M2C138-CJ, MCC166H, MC2C924-A, WSS-M2C922-A1; GM: DEXRON-II/IIID/IIIE/IIIG/IIH, DEXRON III, GM 9986195; HONDA: ATF-Z1; HYUNDAI/KIA: SP-II, SP-III, SP-IV, ATF-RED-1K, GENUINE ATF, JWS 3309, PN UM040 CH20 RED-1; MAZDA: ATF M-III/M-5/F-1, ATF 3317, PN XT-9 QMMS; MITSUBISHI: ATF-J2, SP/SP-II/SP-III, PN MS991156; NISSAN: MATIC D/J/K/W, 402; PORSCHE: ATF 3403-M115, T-IV; OPEL: ALL VEHICLES; SUBARU: HP, PN K0140Y0700; SUZUKI: ATF 3314, ATF 3317; TOYOTA: ATF TYPE D-II/T-II/T-III/T-IV

**NOT RECOMMENDED WHERE CVT FLUIDS, TYPE F, OR POWER STEERING FLUIDS FOR HONDA ARE SPECIFIED.



TRANSMISSION FLUID



PRODUCT

CVT FLUID

PRODUCT TYPE

FULLY SYNTHETIC

CATEGORY

AUTOMATIC
TRANSMISSION FLUID

APPLICATION

CONTINUOUSLY
VARIABLE
TRANSMISSIONS

PACKAGE SIZE

1 L BOTTLE
4 L BOTTLE
5 L BOTTLE

SPECIFICATION

TOYOTA FC/TE;
NISSAN: NS-1, 2 AND 3;
HONDA: HMMF, HCF-2

* SUITABLE FOR USE IN:

DAIHATSU: AMIX CVTF-DC/DFE, FLUID TC; HONDA: MULTIMATIC FLUID (HMMF), HCF-2; HYUNDAI/ KIA: SP-CVT-1; MAZDA: CVTF3320; MERCEDES BENZ: CVT28/MB 236.20; MITSUBISHI: DIAQUEEN CVTF-J1, DIAQUEEN CVTF-J4; SUBARU: I-CVTF, LIEARTRONIC CVTF, K0425Y0710, CV-30, E-CVTF; TOYOTA: FLUID TC, FLUID FE; VW: TL 52180, G 052 180 A2, G052 516

LIFE IS AN ADVENTURE





PRODUCT

DCT FLUID

PRODUCT TYPE

FULLY SYNTHETIC

CATEGORY

**AUTOMATIC
TRANSMISSION FLUID**

APPLICATION

**DUAL CLUTCH
TRANSMISSIONS**

PACKAGE SIZE

1 L BOTTLE

SPECIFICATION

**MERCEDES BENZ: DCT,
VW: DCT, AUDI: DCT,
PORSCHE: DCT, BMW:
DCT**

SUITABLE FOR USE IN:

AUDI/VW: G 052 182 (TL 52 82), G 052 512 (75W GO DRY CLUTCH), G 052 513 (DSG), TL 052 529, G 052 182 (TL 52 182), G 052 512 (75W GO DRY CLUTCH), G 052 513 (DSG), TL 052 529; BMW: DCTF-1 PART NUMBER 83 220 440 214, 83 22 2 148 578, 83 22 2 148 579, 83 22 2 147 477; MERCEDES BENZ: MB 236.21 (001 989 85 03), MB 236.25; NISSAN: GENUINE TRANSMISSION OIL R35 SPECIAL, FORD WSS M2C-936-A; PORSCHE: 999.917.080.00 (FFL-3), PART NUMBER 043 20729 (FFL-3), 043 207 30 (FFL-3); VOLVO: BOT 341, #116183, 1161839





TRANSMISSION FLUID

SDS

PDS

IMAGES



PRODUCT

SUPER ATF

PRODUCT TYPE

CONVENTIONAL

CATEGORY

AUTOMATIC
TRANSMISSION FLUID

APPLICATION

AUTOMATIC
STANDARD
TRANSMISSIONS

PACKAGE SIZE

1 L BOTTLE
5 L BOTTLE

SPECIFICATION

DM-3

LIFE IS AN ADVENTURE





MOTORCYCLE MOTOR OIL



PRODUCT

XM-88

PRODUCT TYPE

FULLY SYNTHETIC

CATEGORY

MOTORCYCLE
MOTOR OIL

VISCOSITY

10W-40
15W-50

PACKAGE SIZE

1 L BOTTLE

SPECIFICATION

API SN/JASO MA2





MOTORCYCLE MOTOR OIL



PRODUCT

**EVOLUTION
MOTO**

PRODUCT TYPE

FULLY SYNTHETIC

CATEGORY

**MOTORCYCLE
MOTOR OIL**

VISCOSITY

10W-30

PACKAGE SIZE

1 L BOTTLE

SPECIFICATION

JASO MA2

LIFE IS AN ADVENTURE



MOTORCYCLE MOTOR OIL



PRODUCT

ACTION PLUS

PRODUCT TYPE

SYNTHETIC BLEND

CATEGORY

**MOTORCYCLE
MOTOR OIL**

VISCOSITY

10W-40

PACKAGE SIZE

1 L BOTTLE

SPECIFICATION

JASO MA2





MOTORCYCLE MOTOR OIL



PRODUCT

ACTION

PRODUCT TYPE

SYNTHETIC BLEND

CATEGORY

**MOTORCYCLE
MOTOR OIL**

VISCOSITY

20W-50

PACKAGE SIZE

**1 L BOTTLE
200 L DRUM**

SPECIFICATION

JASO MA2

LIFE IS AN ADVENTURE





HEAVY DUTY MOTOR OIL

SDS

PDS

IMAGES



PRODUCT

EVOLUTION DIESEL

PRODUCT TYPE

FULLY SYNTHETIC

CATEGORY

DIESEL ENGINE
MOTOR OIL

VISCOSITY

5W-40

PACKAGE SIZE

1 L BOTTLE
5 L BOTTLE

SPECIFICATION

API CK-4





HEAVY DUTY MOTOR OIL

SDS

PDS

IMAGES



PRODUCT

HD PLUS

PRODUCT TYPE

SYNTHETIC BLEND

CATEGORY

DIESEL ENGINE
MOTOR OIL

VISCOSITY

10W-30

PACKAGE SIZE

1 L BOTTLE
5 L BOTTLE
18 L PAIL
200 L DRUM

SPECIFICATION

API CK-4

LIFE IS AN ADVENTURE





HEAVY DUTY MOTOR OIL

SDS

PDS

IMAGES



PRODUCT

HD

PRODUCT TYPE

FULLY SYNTHETIC

CATEGORY

DIESEL ENGINE
MOTOR OIL

VISCOSITY

15W-40

PACKAGE SIZE

1 L BOTTLE
5 L BOTTLE
18 L PAIL
200 L DRUM

SPECIFICATION

API CI-4





HEAVY DUTY MOTOR OIL



PRODUCT

TRANSPORT

PRODUCT TYPE

SYNTHETIC BLEND

CATEGORY

DIESEL ENGINE
MOTOR OIL

VISCOSITY

15W-40

PACKAGE SIZE

18 L PAIL
200 L DRUM

SPECIFICATION

API CI-4

SDS

PDS

IMAGES

LIFE IS AN ADVENTURE





DIESEL ENGINE OIL



PRODUCT

XLR

PRODUCT TYPE

CONVENTIONAL

CATEGORY

DIESEL ENGINE
MOTOR OIL

VISCOSITY

15W-40

PACKAGE SIZE

18 L PAIL
200 L DRUM

SPECIFICATION

API CI-4



SDS

PDS

IMAGES



GREASE

SDS

PDS

IMAGES



PRODUCT

HI-TEMP GREASE

PRODUCT TYPE

SYNTHETIC BLEND

CATEGORY

GREASE

CONSISTENCY

NLGI GC-LB

PACKAGE SIZE

14 OZ TUB	35 LB PAIL
1 LB CAN	120 LB KEG
4 LB TUB	400 LB DRUM

SPECIFICATION

NLGI 2

LIFE IS AN ADVENTURE





GEAR OIL



PRODUCT

LIMITED SLIP
DIFFERENTIAL
(LSD) GEAR OIL

PRODUCT TYPE

SYNTHETIC BLEND

CATEGORY

GEAR OIL

VISCOSITY

75W-90
80W-90

PACKAGE SIZE

1 L BOTTLE
4 L BOTTLE

SPECIFICATION

API GL-5



SDS

PDS

IMAGES



GEAR OIL

SDS

PDS

IMAGES



PRODUCT

SGO GEAR OIL

PRODUCT TYPE

SYNTHETIC BLEND

CATEGORY

GEAR OIL

VISCOSITY

80W-90
85W-140

PACKAGE SIZE

1 L BOTTLE
4 L BOTTLE
18 L PAIL
200 L DRUM

SPECIFICATION

GL-5/MT-1

LIFE IS AN ADVENTURE





GEAR OIL



PRODUCT

MP

PRODUCT TYPE

MINERAL

CATEGORY

GEAR OIL

VISCOSITY

80W-90
85W-140

PACKAGE SIZE

18 L PAIL
200 L DRUM

SPECIFICATION

API GL-5



SDS

PDS

IMAGES



COOLANT



PRODUCT

XK-EV COOLANT

CATEGORY

ELECTRIC VEHICLE
COOLANT

APPLICATION

NE 100

PACKAGE SIZE

4 L BOTTLE

APPLICATION

ELECTRIC VEHICLE
BATTERY COOLING
SYSTEMS

LIFE IS AN ADVENTURE



SDS

PDS

IMAGES



TOP 1 OIL PRODUCTS COMPANY
100 N. El Camino Real
San Mateo, CA, 94401 USA
Tel: 1.650.347.3691
Toll free within USA: 1.866.TOP1OIL

www.top1oil.com

